SIMPLEX NEEDLE THREADER.

FIG. 1.

FIG. 2.

DIRECTIONS:

FOR SEWING MACHINES.

Loop the thread around the needle [illegible] the eye. Hold the instrument to the needle below the thread, press the bow or part now slide the instrument down, pressing gently against the needle till the hook passes through the eye, as seen in fig. 1, now allow the down the thread till it rests on the hook and draw the thread through the eye with the hook, as fig 2.

Trade Mark No. 38125



FIG. 3.

FIG. 4.

[illegible]



"What Every Woman Needs"

How did I ever get along without it

A necessity that has proven invaluable

THE PELOUZE "GAUGE" is invaluable for accuracy in knitting. It is an unvarying measure for hems, tucks, ruffles; distances between buttons and button holes, hooks and eyes, and many other uses where a precise measure is required. Beautifully Etched on Metal.

This Hem Gauge is a Supplement to

THE NEW ENCYCLOPEDIA OF MODERN SEWING

This Hem Gauge was especially manufactured for use in connection with your wonderful NEW ENCYCLOPEDIA OF MODERN SEWING, the book that gives such clear and easy-to-understand instructions for beginner and expert on every type of sewing. Simple directions for the manifold uses of the Hem Gauge will be found on pages 44, 174, and 311. As this Encyclopedia helps increase your skill with needle and thread, we predict you will find new pride and joy in your sewing achievements not to mention substantial savings of money.

WM. H. WISE & CO., Inc., *Publishers*

50 WEST 47th STREET NEW YORK 19, N. Y.


LAWACO
Rip-a-Seam
98¢

DIRECTIONS

1. Remove sewing machine needle. Place Lawaco Rip-a-Seam in needle bar and tighten set screw.

2. Turn machine wheel slowly to be sure that Rip-a-Seam is centered and enters hole in needle plate. Rip-a-Seam may be adjusted up or down.

3. Insert Rip-a-Seam in first knot of stitch and lower foot. Then, operating machine at moderate speed, follow stitching closely.

WARNING!

On sheer or closely woven materials, the Rip-a-Seam will fracture threads in the weave. Try on a sample of the material before using.

THE LAWACO CO.
Janesville, Wisconsin

MADE IN U.S.A. • PAT. PENDING